

(4) 年度別各科入院患者数

下段は2日平均 単位：人

| 科名 / 年度 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
|-----------|----------------|----------------|----------------|----------------|----------------|----------------|----------------|
| 総合診療科 | 2,194 6 | 2,863 8 | 3,077 8 | 2,683 7 | 2,130 6 | 1,724 5 | 1,036 3 |
| 内科 | 0 0 | 0 0 | 48 0 | 191 1 | 314 1 | 554 2 | 510 1 |
| 腎臓内科 | 6,374 17 | 5,107 14 | 4,287 12 | 3,875 11 | 3,583 10 | 3,569 10 | 2,763 8 |
| 血液内科 | 6,118 17 | 5,332 15 | 5,424 15 | 5,582 15 | 5,601 15 | 5,736 16 | 5,022 14 |
| 糖尿病・内分泌内科 | 2,906 8 | 2,826 8 | 2,847 8 | 2,422 7 | 2,002 5 | 2,494 7 | 2,825 8 |
| 脳神経内科 | 8,911 24 | 8,483 23 | 8,904 24 | 8,751 24 | 9,028 25 | 9,998 27 | 7,277 20 |
| 呼吸器内科 | 13,448 37 | 16,176 44 | 16,435 45 | 14,870 41 | 16,585 45 | 13,972 38 | 14,534 40 |
| 消化器内科 | 17,900 49 | 17,071 47 | 17,626 48 | 15,929 44 | 19,209 53 | 18,027 49 | 17,746 49 |
| 循環器内科 | 26,290 72 | 23,599 65 | 21,596 59 | 20,163 55 | 20,912 57 | 16,996 47 | 17,484 48 |
| 小児科 | 8,682 24 | 9,842 27 | 7,907 22 | 5,324 15 | 7,480 20 | 7,506 21 | 8,185 22 |
| 小児循環器内科 | 4,181 11 | 3,802 10 | 3,911 11 | 3,238 9 | 2,883 8 | 2,951 8 | 2,674 7 |
| 新生児内科 | 8,721 24 | 8,426 23 | 9,710 27 | 8,918 24 | 9,254 25 | 8,684 24 | 9,267 25 |
| 小児療育内科 | 2,468 7 | 2,966 8 | 3,471 9 | 2,859 8 | 3,242 9 | 2,582 7 | 2,950 8 |
| 外科 | 17,947 49 | 17,263 47 | 17,747 48 | 15,581 43 | 15,063 41 | 15,153 42 | 17,909 49 |
| 乳腺外科 | 1,676 5 | 1,571 4 | 1,936 5 | 1,875 5 | 1,427 4 | 1,785 5 | 1,818 5 |
| 小児外科 | 419 1 | 441 1 | 533 1 | 637 2 | 542 1 | 712 2 | 767 2 |
| 整形外科 | 15,478 42 | 15,331 42 | 15,632 43 | 13,071 36 | 14,440 40 | 13,792 38 | 13,479 37 |
| 形成外科 | 590 2 | 703 2 | 546 1 | 701 2 | 718 2 | 581 2 | 670 2 |
| 脳神経外科 | 10,212 28 | 10,135 28 | 9,702 27 | 8,714 24 | 10,534 29 | 12,583 34 | 11,089 30 |
| 心呼外科 | — — |
| 呼吸器外科 | 1,390 4 | 1,447 4 | 1,484 4 | 1,213 3 | 1,408 4 | 1,521 4 | 1,633 4 |
| 心臓血管外科 | 3,488 10 | 3,240 9 | 3,581 10 | 3,113 9 | 4,007 11 | 3,707 10 | 2,922 8 |
| 小児心臓外科 | 2,463 7 | 2,719 7 | 2,003 5 | 2,336 6 | 2,147 6 | 2,257 6 | 2,624 7 |
| 皮膚科 | 2,264 6 | 1,670 5 | 2,017 6 | 1,640 4 | 1,390 4 | 972 3 | 1,117 3 |
| 泌尿器科 | 9,005 25 | 9,704 27 | 10,037 27 | 8,615 24 | 8,697 24 | 8,463 23 | 8,805 24 |
| 産科・婦人科 | 13,072 36 | 14,195 39 | 17,681 48 | 15,707 43 | 16,179 44 | 16,229 44 | 16,495 45 |
| 眼科 | 1,279 4 | 1,233 3 | 856 2 | 830 2 | 1,171 3 | 859 2 | 1,063 3 |
| 耳鼻咽喉科 | 3,938 11 | 3,744 10 | 4,442 12 | 3,561 10 | 3,299 9 | 3,484 10 | 4,627 13 |
| 放射線科 | 0 0 |
| 歯科口腔外科 | 1,510 4 | 1,146 3 | 1,209 3 | 990 3 | 980 3 | 1,223 3 | 1,258 3 |
| 合計 | 192,924 527 | 191,035 522 | 194,649 532 | 173,389 475 | 184,225 505 | 178,114 488 | 178,549 489 |
| 対前年比 | 101.7% | 99.0% | 101.9% | 89.1% | 106.2% | 96.7% | 100.2% |
| 救命救急センター | 8,005 22 | 7,686 21 | 8,062 22 | 6,360 17 | 7,708 21 | 8,304 23 | 7,795 21 |
| 病床数 | 574 30 | 574 30 | 590 30 | 590 30 | 590 30 | 590 30 | 590 30 |
| 合計 | 604 | 604 | 620 | 620 | 620 | 620 | 620 |

(6) 年度別病棟入院患者状況

| 病棟/年度 | 一日平均患者数(人) | | | | | | | 病床利用率(%) | | | | | | | 平均在院日数(日) | | | | | | |
|----------|------------|-------|--------|-------|--------|--------|-------|----------|-------|--------|-------|--------|--------|-------|-----------|-------|-------|--------|-------|-------|-------|
| | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 | 2017 | 2018 | 2019 | 2020 | 2021 | 2022 | 2023 |
| 3階東病棟 | 16.4 | 16.6 | 13.9 | 12.0 | 11.9 | 11.8 | 12.5 | 81.8 | 80.2 | 63.2 | 55.5 | 54.2 | 54.4 | 56.8 | 16.8 | 15.2 | 10.5 | 7.1 | 6.8 | 8.2 | 6.9 |
| 4階東病棟 | 23.8 | 24.8 | 29.3 | 28.0 | 28.6 | 27.4 | 28.5 | 79.4 | 82.8 | 97.8 | 93.0 | 95.5 | 91.2 | 95.1 | 11.3 | 11.4 | 10.1 | 10.2 | 10.0 | 10.6 | 10.9 |
| 4階西病棟 | 23.6 | 22.8 | 26.1 | 24.1 | 25.0 | 23.4 | 24.9 | 58.9 | 57.0 | 65.3 | 59.8 | 62.6 | 58.5 | 62.2 | 29.9 | 33.4 | 34.0 | 29.4 | 30.3 | 35.0 | 32.7 |
| 5階東病棟 | 48.1 | 41.0 | 35.4 | 33.7 | 34.8 | 30.6 | 31.0 | 89.1 | 87.3 | 88.5 | 84.4 | 87.0 | 76.4 | 77.6 | 8.5 | 8.1 | 7.5 | 8.8 | 8.2 | 6.4 | 6.9 |
| 5階西病棟 | 15.4 | 21.4 | 27.7 | 13.4 | 15.1 | 14.9 | 17.5 | 96.1 | 93.3 | 92.2 | 48.8 | 50.2 | 49.7 | 58.4 | 9.7 | 8.5 | 7.8 | 7.3 | 7.8 | 7.4 | 7.1 |
| 6階東病棟 | 36.9 | 35.5 | 35.7 | 33.2 | 37.1 | 34.1 | 33.2 | 92.2 | 88.7 | 89.2 | 82.9 | 92.6 | 85.3 | 82.9 | 8.0 | 7.3 | 7.8 | 7.5 | 7.2 | 6.6 | 6.7 |
| 6階西病棟 | 37.6 | 38.5 | 38.8 | 34.9 | 37.9 | 36.3 | 35.7 | 94.0 | 96.2 | 97.2 | 87.7 | 94.8 | 90.8 | 89.2 | 15.6 | 15.3 | 16.4 | 14.1 | 13.8 | 12.4 | 12.9 |
| 7階東病棟 | 37.6 | 37.4 | 39.0 | 35.3 | 36.4 | 34.2 | 34.4 | 94.0 | 93.5 | 97.4 | 88.6 | 91.1 | 85.4 | 86.0 | 7.9 | 7.8 | 8.2 | 7.9 | 7.9 | 7.3 | 7.7 |
| 7階西病棟 | 37.6 | 37.1 | 37.0 | 32.8 | 36.7 | 36.2 | 35.6 | 94.0 | 92.8 | 92.5 | 81.9 | 91.7 | 90.6 | 88.9 | 9.7 | 9.3 | 8.9 | 9.3 | 9.2 | 10.5 | 9.9 |
| 8階東病棟 | 38.6 | 38.0 | 38.5 | 36.0 | 37.5 | 36.6 | 36.8 | 96.5 | 95.0 | 96.2 | 90.0 | 93.8 | 91.5 | 92.0 | 8.1 | 7.6 | 7.1 | 7.5 | 7.4 | 7.0 | 6.7 |
| 8階西病棟 | 37.0 | 36.0 | 36.1 | 33.7 | 35.3 | 34.4 | 35.3 | 92.5 | 89.9 | 90.3 | 83.5 | 88.3 | 86.1 | 88.1 | 11.2 | 10.2 | 9.8 | 9.7 | 9.7 | 8.5 | 9.2 |
| 9階東病棟 | 40.2 | 39.0 | 39.8 | 38.6 | 40.1 | 39.8 | 37.6 | 95.7 | 92.9 | 94.8 | 91.0 | 95.6 | 94.8 | 89.5 | 13.3 | 11.3 | 11.5 | 11.4 | 11.2 | 10.9 | 10.0 |
| 9階西病棟 | 29.7 | 30.8 | 27.5 | 21.9 | 25.3 | 26.4 | 28.4 | 78.2 | 82.6 | 76.3 | 61.8 | 70.3 | 73.4 | 79.0 | 5.2 | 5.4 | 4.4 | 5.0 | 4.4 | 4.7 | 4.3 |
| 10階東病棟 | 38.4 | 38.5 | 38.9 | 37.8 | 37.8 | 37.5 | 35.8 | 96.1 | 96.3 | 97.3 | 93.8 | 94.4 | 93.7 | 89.5 | 16.9 | 16.7 | 16.7 | 15.9 | 13.3 | 12.5 | 13.0 |
| 10階西病棟 | 39.0 | 36.8 | 36.6 | 34.5 | 35.1 | 34.6 | 31.3 | 97.5 | 91.9 | 91.6 | 87.0 | 87.9 | 86.5 | 78.2 | 17.1 | 14.2 | 14.3 | 14.3 | 15.0 | 14.7 | 11.9 |
| 合計 | 499.9 | 494.2 | 500.3 | 449.9 | 474.6 | 458.2 | 458.5 | 87.9 | 86.1 | 89.3 | 80.5 | 84.8 | 81.8 | 81.9 | 10.2 | 9.9 | 9.6 | 9.7 | 9.3 | 9.0 | 8.7 |
| 対前年比 | 101.6% | 98.9% | 101.2% | 89.9% | 105.5% | 101.8% | 96.6% | 100.2% | 98.0% | 103.7% | 90.1% | 105.3% | 101.6% | 96.6% | 102.0% | 97.1% | 97.0% | 101.0% | 95.9% | 92.8% | 93.5% |
| 救命救急センター | 21.9 | 21.1 | 22.0 | 17.4 | 21.1 | 22.8 | 21.3 | 73.1 | 70.2 | 73.4 | 58.4 | 70.4 | 75.8 | 71.0 | 4.9 | 4.6 | 4.5 | 4.7 | 4.7 | 4.9 | 4.6 |
| すこやか | 6.8 | 8.1 | 9.5 | 7.8 | 8.9 | 7.1 | 8.1 | 48.3 | 58.0 | 36.3 | 26.8 | 29.6 | 23.5 | 26.9 | 224.8 | 237.6 | 138.9 | 204.6 | 154.5 | 224.2 | 226.9 |

(10) 大分類別年齢階層別入院患者数 (2023年度)

| 大分類 | 性別 | 0-4歳 | 5-9歳 | 10-14歳 | 15-19歳 | 20-29歳 | 30-39歳 | 40-49歳 | 50-59歳 | 60-69歳 | 70-74歳 | 75-79歳 | 80-84歳 | 85-89歳 | 90歳- | 総数 |
|---------------------------------------|----|-------|------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|------|--------|
| I 感染症及び寄生虫症 | 男 | 26 | 4 | 3 | 2 | 5 | 0 | 4 | 14 | 10 | 14 | 16 | 19 | 14 | 8 | 139 |
| | 女 | 8 | 5 | 0 | 3 | 3 | 4 | 8 | 8 | 10 | 10 | 15 | 6 | 7 | 8 | 95 |
| | 計 | 34 | 9 | 3 | 5 | 8 | 4 | 12 | 22 | 20 | 24 | 31 | 25 | 21 | 16 | 234 |
| II 新生物<腫瘍> | 男 | 5 | 3 | 2 | 3 | 5 | 6 | 64 | 198 | 473 | 488 | 489 | 367 | 159 | 8 | 2,270 |
| | 女 | 2 | 5 | 8 | 3 | 31 | 57 | 209 | 347 | 384 | 260 | 338 | 189 | 117 | 18 | 1,968 |
| | 計 | 7 | 8 | 10 | 6 | 36 | 63 | 273 | 545 | 857 | 748 | 827 | 556 | 276 | 26 | 4,238 |
| III 血液及び造血系の疾患並びに免疫機構の障害 | 男 | 7 | 5 | 0 | 0 | 1 | 0 | 2 | 3 | 2 | 3 | 7 | 3 | 2 | 2 | 37 |
| | 女 | 2 | 5 | 0 | 1 | 3 | 0 | 0 | 3 | 2 | 3 | 4 | 6 | 2 | 2 | 33 |
| | 計 | 9 | 10 | 0 | 1 | 4 | 0 | 2 | 6 | 4 | 6 | 11 | 9 | 4 | 4 | 70 |
| IV 内分泌、栄養及び代謝疾患 | 男 | 33 | 12 | 9 | 0 | 0 | 3 | 13 | 32 | 19 | 17 | 23 | 21 | 10 | 5 | 197 |
| | 女 | 28 | 6 | 5 | 6 | 3 | 2 | 6 | 5 | 18 | 14 | 22 | 18 | 14 | 12 | 159 |
| | 計 | 61 | 18 | 14 | 6 | 3 | 5 | 19 | 37 | 37 | 31 | 45 | 39 | 24 | 17 | 356 |
| V 精神及び行動の障害 | 男 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 2 |
| | 女 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 4 |
| | 計 | 0 | 0 | 0 | 1 | 0 | 2 | 0 | 0 | 1 | 1 | 1 | 0 | 0 | 0 | 6 |
| VI 神経系の疾患 | 男 | 39 | 30 | 19 | 8 | 6 | 9 | 19 | 19 | 38 | 24 | 16 | 24 | 5 | 0 | 256 |
| | 女 | 32 | 32 | 19 | 3 | 8 | 5 | 14 | 16 | 11 | 27 | 17 | 21 | 11 | 5 | 221 |
| | 計 | 71 | 62 | 38 | 11 | 14 | 14 | 33 | 35 | 49 | 51 | 33 | 45 | 16 | 5 | 477 |
| VII 眼及び付属器の疾患 | 男 | 3 | 3 | 1 | 2 | 0 | 1 | 8 | 19 | 19 | 27 | 26 | 35 | 13 | 4 | 161 |
| | 女 | 1 | 3 | 3 | 1 | 0 | 2 | 5 | 13 | 21 | 11 | 19 | 22 | 17 | 9 | 127 |
| | 計 | 4 | 6 | 4 | 3 | 0 | 3 | 13 | 32 | 40 | 38 | 45 | 57 | 30 | 13 | 288 |
| VIII 耳及び乳様突起の疾患 | 男 | 7 | 6 | 1 | 0 | 1 | 2 | 2 | 3 | 4 | 5 | 2 | 5 | 0 | 0 | 38 |
| | 女 | 4 | 7 | 3 | 0 | 0 | 5 | 2 | 3 | 6 | 6 | 4 | 3 | 3 | 0 | 46 |
| | 計 | 11 | 13 | 4 | 0 | 1 | 7 | 4 | 6 | 10 | 11 | 6 | 8 | 3 | 0 | 84 |
| IX 循環器系の疾患 | 男 | 15 | 4 | 9 | 8 | 10 | 14 | 66 | 166 | 304 | 284 | 342 | 378 | 197 | 63 | 1,860 |
| | 女 | 11 | 3 | 5 | 6 | 9 | 13 | 24 | 67 | 96 | 144 | 211 | 236 | 161 | 106 | 1,092 |
| | 計 | 26 | 7 | 14 | 14 | 19 | 27 | 90 | 233 | 400 | 428 | 553 | 614 | 358 | 169 | 2,952 |
| X 呼吸器系の疾患 | 男 | 140 | 49 | 18 | 23 | 37 | 19 | 15 | 25 | 37 | 54 | 53 | 87 | 36 | 25 | 618 |
| | 女 | 146 | 24 | 4 | 13 | 12 | 10 | 6 | 10 | 14 | 15 | 30 | 30 | 30 | 18 | 362 |
| | 計 | 286 | 73 | 22 | 36 | 49 | 29 | 21 | 35 | 51 | 69 | 83 | 117 | 66 | 43 | 980 |
| XI 消化器系の疾患 | 男 | 68 | 21 | 20 | 7 | 20 | 22 | 53 | 101 | 165 | 143 | 175 | 151 | 69 | 23 | 1,038 |
| | 女 | 35 | 19 | 6 | 9 | 5 | 13 | 40 | 66 | 94 | 71 | 110 | 94 | 62 | 34 | 658 |
| | 計 | 103 | 40 | 26 | 16 | 25 | 35 | 93 | 167 | 259 | 214 | 285 | 245 | 131 | 57 | 1,696 |
| XII 皮膚及び皮下組織の疾患 | 男 | 6 | 0 | 1 | 2 | 4 | 3 | 11 | 8 | 11 | 6 | 8 | 6 | 3 | 2 | 71 |
| | 女 | 12 | 2 | 4 | 1 | 2 | 5 | 8 | 11 | 3 | 3 | 5 | 3 | 4 | 3 | 66 |
| | 計 | 18 | 2 | 5 | 3 | 6 | 8 | 19 | 19 | 14 | 9 | 13 | 9 | 7 | 5 | 137 |
| XIII 筋骨格系及び結合組織の疾患 | 男 | 30 | 14 | 2 | 3 | 7 | 10 | 15 | 32 | 35 | 26 | 37 | 28 | 6 | 4 | 249 |
| | 女 | 24 | 10 | 8 | 7 | 4 | 2 | 13 | 14 | 37 | 49 | 54 | 31 | 13 | 2 | 268 |
| | 計 | 54 | 24 | 10 | 10 | 11 | 12 | 28 | 46 | 72 | 75 | 91 | 59 | 19 | 6 | 517 |
| XIV 泌尿路生殖器系の疾患 | 男 | 37 | 8 | 10 | 5 | 8 | 8 | 22 | 51 | 50 | 69 | 68 | 59 | 32 | 13 | 440 |
| | 女 | 15 | 12 | 8 | 5 | 33 | 49 | 66 | 38 | 38 | 25 | 40 | 32 | 15 | 13 | 389 |
| | 計 | 52 | 20 | 18 | 10 | 41 | 57 | 88 | 89 | 88 | 94 | 108 | 91 | 47 | 26 | 829 |
| XV 妊娠、分娩及び産じょく<褥> | 男 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| | 女 | 0 | 0 | 0 | 2 | 222 | 497 | 76 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 797 |
| | 計 | 0 | 0 | 0 | 2 | 222 | 497 | 76 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 797 |
| XVI 周産期に発生した病態 | 男 | 159 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 159 |
| | 女 | 142 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 142 |
| | 計 | 301 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 301 |
| XVII 先天奇形、変形及び染色体異常 | 男 | 135 | 55 | 16 | 11 | 5 | 1 | 0 | 4 | 0 | 2 | 1 | 0 | 0 | 0 | 230 |
| | 女 | 118 | 45 | 18 | 5 | 8 | 3 | 2 | 6 | 1 | 1 | 0 | 0 | 0 | 0 | 207 |
| | 計 | 253 | 100 | 34 | 16 | 13 | 4 | 2 | 10 | 1 | 3 | 1 | 0 | 0 | 0 | 437 |
| XVIII 症状、徴候及び異常臨床所見・異常検査所見で他に分類されないもの | 男 | 58 | 19 | 4 | 3 | 1 | 0 | 1 | 2 | 2 | 0 | 6 | 9 | 5 | 0 | 110 |
| | 女 | 40 | 9 | 1 | 1 | 0 | 3 | 3 | 1 | 2 | 5 | 4 | 6 | 4 | 3 | 82 |
| | 計 | 98 | 28 | 5 | 4 | 1 | 3 | 4 | 3 | 4 | 5 | 10 | 15 | 9 | 3 | 192 |
| XIX 損傷、中毒及びその他の外因の影響 | 男 | 85 | 120 | 48 | 27 | 26 | 26 | 31 | 41 | 51 | 33 | 53 | 49 | 47 | 21 | 658 |
| | 女 | 52 | 67 | 34 | 13 | 8 | 8 | 13 | 32 | 23 | 29 | 53 | 72 | 52 | 40 | 496 |
| | 計 | 137 | 187 | 82 | 40 | 34 | 34 | 44 | 73 | 74 | 62 | 106 | 121 | 99 | 61 | 1,154 |
| XX 特殊目的用コード | 男 | 9 | 2 | 3 | 3 | 2 | 0 | 2 | 5 | 10 | 12 | 15 | 17 | 13 | 9 | 102 |
| | 女 | 9 | 3 | 2 | 2 | 2 | 1 | 0 | 5 | 2 | 7 | 6 | 17 | 4 | 9 | 69 |
| | 計 | 18 | 5 | 5 | 5 | 4 | 1 | 2 | 10 | 12 | 19 | 21 | 34 | 17 | 18 | 171 |
| 総数 | 男 | 862 | 355 | 166 | 107 | 138 | 124 | 328 | 723 | 1,230 | 1,208 | 1,338 | 1,258 | 611 | 187 | 8,635 |
| | 女 | 681 | 257 | 128 | 82 | 353 | 681 | 495 | 645 | 763 | 680 | 932 | 786 | 516 | 282 | 7,281 |
| | 計 | 1,543 | 612 | 294 | 189 | 491 | 805 | 823 | 1,368 | 1,993 | 1,888 | 2,270 | 2,044 | 1,127 | 469 | 15,916 |